



SHENZHEN ZHONGHUI HAUYUAN ELECTRONIC CO., LTD

Desktop all-in-one computer solution provider

目录

CONTENTS



1

Company Profile

2

Company Advantage

3

Selling Points

4

Company Vision




COMPANY PROFILE



Shenzhen Zhonghui Haoyuan Electronics Co., Ltd. was founded in 2015 and is a national high-tech enterprise that focuses on the field of desktop integrated computers, integrating product research and development, production, and sales. Adhering to the business philosophy of honest operation and quality and reputation first, we have provided numerous excellent integrated computer solutions for many domestic and foreign customers, and our products are exported to more than 20 countries and regions worldwide.

Development History



Enterprise Honor



We always adhere to the core strategic goal of R&D and innovation as the company's core strategic goal. With the R&D concept of "pursuing excellence and creating high-quality projects" and adhering to the R&D spirit of "meticulousness and excellence", we have won the high-tech enterprise certificate and the honorary title of specialization and specialization.

Patent Certificate And Certification System





Business philosophy

Customer-oriented, quality first
Integrity , Advanced technology

Carefully crafted

Create the ENMEIKO all-in-one pc nesting brand with the spirit of craftsmanship

Adhere to innovative research and development, pursue perfection, strive for excellence, and work hard.

COMPANY ADVANTAGES



Independent research and development

We have a professional and powerful R&D team, insist on independent innovation and research and development, and use our strength and quality to create high-quality all-in-one computer products.



Scientific management

Strict management and kind treatment, unity and coordination, professional innovation, people-oriented



Quality Assurance

Every part and every product manufactured undergoes strict quality control and is of excellent quality and trustworthy.



Attentive service

The professional and considerate after-sales service system enables 48-hour supplementary response for accessories and improves maintenance efficiency.

Office Scene




Production and Aging



Injection Department



Quality and Experiment



Warehouse Center





Product Display

Global video intelligent all-in-one computer brand



Business/Office




Entertainment video



Game competition

Product List



23.8/27英寸直面

高清视野

DK238/DK270-M



高级精品




屏幕可任意旋转
满足不同视觉需求

自由调节升降和旋转
助力正确坐姿



机型：DK238/DK270-M





DK238/DK270-M

Product parameters			
size	23.8" / 27"	resolution	1920*1080p/2560*1440p (27")
Optional color	chrome/black/white	refresh rate	60Hz-75Hz/144Hz (27")
Base	Square lifting base	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen aspect ratio	16:9	color temperature	adjustable
Side interface/function	USB2.0/3.0 *2, three-in-one card reader, TYPE C, four-band audio, DVD, fingerprint recognition		
Top interface/function	Press hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 *4, RJ45 interface, audio interface, anti-theft lock hole		
function button	Power switch, brightness adjustment		
Adapted to mainboard	Mini-Itx 170*170mm/Customized Itx 170*200mm		
power supply	Adapt according to mainboard		
trumpet	4Ω 3W *2		
wall hanging	Customized adapter plate, wall-mounted size: 75mm*75mm/100*100mm		
Package Size	608*178*468mm(23.8")/678*192*488mm(27")		
Total Weight			

23.8/27英寸直面

高清视野

DK238/DK270-F




超薄时尚微边框设计，科技与艺术的完美结合
可调屏幕，俯角4°、仰角16°，助力正确坐姿

珍珠白、活力橙、银色、黑色四色可选
高效散热，智能静音



机型：DK238/DK270-F





DK238/DK270-F

Product parameters			
Size	23.8" / 27"	resolution	1920*1080p/2560*1440p (27")
Optional color	Vibrant orange/gold/black/white	refresh rate	60Hz-75Hz/144Hz (27")
Base	Square quick release base	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen aspect ratio	16:9	color temperature	adjustable
Side interface/function	USB2.0/3.0 *2, three-in-one card reader, TYPE C, four-band audio, DVD, fingerprint recognition		
Top interface/function	Press hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 *4, RJ45 interface, audio interface, anti-theft lock hole		
Function button	Power switch, physical brightness adjustment		
Adapted to mainboard	Mini-Itx 170*170mm/定制Itx 170*200mm		
Power supply	Adapt according to motherboard		
Trumpet	4Ω 3W *2		
Wall hanging	Customized adapter plate, wall-mounted size: 75mm*75mm/100*100mm		
Package Size	608*178*468mm(23.8")/678*192*488mm(27")		
Total Weight			

34英寸曲面

超阔视野

Q340



上下 10cm
角度 -5°-20°



ADS曲面屏
超窄边框



嵌入式接口设计

21:9带鱼屏



视野增加
+33%



机型:Q340

— 七色炫彩呼吸灯 自带电竞光环




单色·紫





炫彩



单色·蓝



机型:Q340规格尺寸图



Q340

Product parameters

Size	34"	Screen aspect ratio	21:9ultrawidescreen
Optional color	Black/ White	resolution	3440*1440p
Color	1670million colors	refresh rate	100Hz/165Hz
		split-screen	Support PBP
Back cover	three-dimensional design	static contrast	3000:1
Panel type	VA HD	color temperature	adjustable
Screen type	Curvature 1500R	Base	V-shaped quick release rotatable lifting base
Features	21:9 Hairtail Screen, Quasi 4K 165Hz, E-Sports Game, Picture-in-Picture, Split Screen		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 *4, RJ45 interface, audio interface, anti-theft lock hole		
function button	Power switch, POWER, KEY1, KEY2, AUTO, MENU		
Adapted to mainboard	Mini-Itx 170*170mm/170*190mm		
Suitable for independent display size	250*137*37mm		
Extensions	PBP HDMI signal input, PBP DP signal input		
Power supply	Adapted to mainboard		
Trumpet	4 Ω 3W *2		
Package Size	890*270*458mm		
Total Weight			

27英寸直面

高清视野

F270-M




- 立体式设计，时尚外观
- 超强散热
- 可按压式摄像头


可升降可旋转底座 助力正确坐姿

黑色更高级，红色点缀

机型：F270-M



机型: F270-M



F270-M

Product parameters

size	27"	resolution	1920*1080p/2560*1440p/3840*2160p
Option color	Black/White	refresh rate	75Hz/144Hz/165Hz
Base	Square lifting base	Viewing angle	178° / 178°
back cover	Three-dimensional design	brightness	250cd/m ²
Panel type	IPS/ADS	static contrast	3000:1
Screen type	Direct screen	color temperature	Adjustable
Screen aspect ratio	16:9		
Side interface/function	USB2.0/3.0 * 2, 3-in-1 card reader, Type-C, 2-in-1 audio, DVD		
Top interface/function	Press the hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ45 interface, audio interface, anti-theft lock hole		
function button	Power switch, physical brightness adjustment		
Adapted to mainboard	Mini-Itx 170*170mm/170*190mm		
Suitable for independent display size	245*135*40mm		
power supply	Adapt according to the mainboard		
trumpet	4Ω 3W *2		
wall hanging	Customized adapter board, wall mounted size: 100 * 100mm		
Package Size	690*175*525mm		
Total Weight			

27英寸直面

高清视野


F270



- 立体式设计，时尚外观
- 超强散热
- 全铝合金快拆底座

机型：F270


按压式隐藏摄像头



二合一音频接口
三合一读卡器
Type-C
USB2.0/3.0
电源开关




可安装245*135*40MM
TOP120W以下独立显卡



防盗锁孔

物理亮度调节

铝合金快拆底座



2*3显卡电源座

19V

HDMI-IN

HDMI

USB3.0

RJ45

USB3.0

MIC/LINEOUT

机型：F270尺寸图



F270

Product parameters

size	27"	resolution	1920*1080p/2560*1440p/3840*2160p
Option color	Black/White	refresh rate	75Hz/144Hz/165Hz
Base	Square lifting base	Viewing angle	178° / 178°
back cover	Three-dimensional design	brightness	250cd/m ²
Panel type	IPS/ADS	static contrast	3000:1
Screen type	Direct screen	color temperature	Adjustable
Screen aspect ratio	16:9		
Side interface/function	USB2.0/3.0 * 2, 3-in-1 card reader, Type-C, 2-in-1 audio, DVD		
Top interface/function	Press the hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ45 interface, audio interface, anti-theft lock hole		
function button	Power switch, physical brightness adjustment		
Adapted to mainboard	Mini-Itx 170*170mm/170*190mm		
Suitable for independent display size	245*135*40mm		
power supply	Adapt according to the mainboard		
trumpet	4Ω 3W *2		
wall hanging	Customized adapter board, wall mounted size: 100 * 100mm		
Package Size	690*175*525mm		
Total Weight			

23.8英寸直面

高清视野

D215/D238-M



高级黑色




可升降可旋转

屏幕可任意旋转
满足不同视觉需求



机型：D215/D238-M





D215/D238-M

Product parameters			
size	21.5" /23.8"	resolution	1920*1080p
Option color	Black/White	refresh rate	60Hz-75Hz
Base	Quickly remove the lifting base	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen display proportions	16:9	color temperature	Adjustable
Side interface/function	USB2.0/3.0 * 2, 3-in-1 card reader, Type-C, 2-in-1 audio, DVD		
Top interface/function	Press the hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, physical brightness adjustment		
Adapt to motherboard	Mini-Itx 170*170mm		
Adapt to unique display size	Adapt according to the mainboard		
power supply	4Ω 3W *2		
trumpet	Customized adapter board, wall mounted size: 100 * 100mm		
wall hanging	550*175*435mm(21.5")/610*175*470mm(23.8")		
Package Size			
Total Weight			

27英寸直面

高清视野

D270-M

高校办公
睿智之选



黑白两色，满足您的需求
可调屏幕，俯角5°，仰角10°
助力正确坐姿

1K/2K/4K高清原装液晶面板
遇见大屏，全面出色


可升降可旋转底座
屏幕可任意旋转
满足不同视觉需求



机型: D270-M



机型: D270-M



D270-M

Product parameters

size	27"	resolution	1920*1080/2560*1440/3840*2160
Option color	Black/White	refresh rate	75Hz/144Hz/165Hz
Base	Quickly remove the lifting base	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen display proportions	16:9	color temperature	Adjustable
Side interface/function	USB2.0/3.0 * 2, 3-in-1 card reader, Type-C, 2-in-1 audio, DVD		
Top interface/function	Press the hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, physical brightness adjustment		
Adapt to motherboard	Mini-Itx 170*170mm		
Adapt to unique display size	200*64*16mm		
power supply	Adapt according to the mainboard		
trumpet	4 Ω 3W*2		
wall hanging	Customized adapter board, wall mounted size: 100 * 100mm		
Package Size	690*175*525mm		
Total Weight			

21.5/23.8英寸

高清视野

D215/D238

按压隐藏式摄像头



USB/Type-C即插即用型可旋转摄像头



黑白两色可选


高品质双腔体喇叭

高效散热，智能静音

超薄时尚无边框设计，科技与艺术的完美融合

可调屏幕，俯角5°，仰角10°，助力正确坐姿

- 向左可旋转180°，向右可旋转90°
- 向上可调15°，向下可调25°





· D215 ·



· D238 ·

黑色
奢华新品

D215/D238

Product parameters

size	21.5" / 23.8"	resolution	1920*1080p
Option color	Black/White	refresh rate	60Hz-75Hz
Base	Open the base quickly at the bottom of the circle	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen display proportions	16:9	color temperature	Adjustable
Side interface/function	USB2.0/3.0 *2、三合一读卡器、DVD-RW		
Top interface/function	Press the hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, physical brightness adjustment		
Adapt to motherboard	Mini-Itx 170*170mm		
power supply	Adapt according to the mainboard		
trumpet	4Ω 3W *2		
wall hanging	Customized adapter board, wall mounted size: 100 * 100mm		
Package Size	550*175*435mm(21.5")/610*175*470mm(23.8")		
Total Weight			

27英寸

高清视野

D270



高品质双腔体喇叭



黑白两色可选


1K/2K/4K高清原装液晶面板，遇见大屏，全面出色

可调屏幕，俯角5°，仰角10°，助力正确坐姿

机型：D270



机型: D270



D270

Product parameters

size	27"	resolution	1920*1080/2560*1440/3840*2160
Option color	Black/White	refresh rate	75Hz/144Hz/165Hz
Base	Open the base quickly at the bottom of the circle	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen display proportions	16:9	color temperature	Adjustable
Side interface/function	USB2.0/3.0 *2、三合一读卡器、DVD-RW		
Top interface/function	Press the hidden camera		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, physical brightness adjustment		
Adapt to motherboard	Mini-Itx 170*170mm		
power supply	200*64*16mm		
trumpet	Adapt according to the mainboard		
wall hanging	4 Ω 3W*2		
Package Size	Customized adapter board, wall mounted size: 100 * 100mm		
Total Weight	690*175*525mm		

多尺寸选择

高清视野

A215/A238/A270



可选配下置摄像头

黑白双色可选

21.5/23.8/27英寸任选、满足视觉需求

纤薄致美，商务办公好帮手


背后装饰美观
色彩搭配协调



机型：A215/A238/A270



摄像头





电源开关

防盗锁孔

USB2.0/3.0

铝合金支撑底座

机型：A215/A238



机型：A270



A215/A238

Product parameters

size	21.5" / 23.8"	resolution	1920*1080p
Option color	Black/White	refresh rate	60Hz-75Hz
Base	Aluminum alloy support base	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen display ratio	16:9	color temperature	/
Back interface/function	USB2.0/3.0*2		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, audio interface, anti-theft lock hole, camera		
Function buttons	power switch		
Adapt to motherboard	Mini-Itx 170*170mm		
power supply	Adapt to the mainboard		
trumpet	4 Ω 3W *2		
Package Size	554*146*445mm(21.5")/600*145*475mm(23.8")		
Total Weight			

A270

Product parameters

size	27"	resolution	1920*1080p
Option color	Black/White	refresh rate	60Hz-75Hz
Base	Aluminum alloy support base	Viewing angle	178° / 178°
Panel type	IPS	brightness	250cd/m ²
Screen type	Direct screen	static contrast	3000:1
Screen display ratio	16:9	color temperature	/
Back interface/function	USB2.0/3.0*2		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, audio interface, anti-theft lock hole, camera		
Function buttons	power switch		
Adapt to motherboard	Mini-Itx 170*170mm		
power supply	Adapt to the mainboard		
trumpet	4 Ω 3W *2		
Package Size	690*175*525mm		
Total Weight			

30英寸带鱼屏

高清视野

H300



30寸带鱼屏(21:9)一体机, 2K高清, 2560*1080P分辨率, 给您更广视野, 带给您影院级别的沉浸式体验.

黑白两色可选


可调屏幕, 俯角-25°, 仰角5°, 助力正确坐姿




机型：H300



USB2.0/3.0
电源开关/
指示灯



机型：H300尺寸图



H300

Product parameters

size	30"	resolution	VA HD for 2560 * 1080p
Option color	Black/White	refresh rate	200Hz
Base	Quick demolition V-shaped base	Viewing angle	178° / 178°
Panel type	VA	brightness	250cd/m ²
Screen type	Direct screen	Static contrast	3000:1
Screen display proportions	21:9 Hairtail screen	Eye care technology	No-flash screen + blue-light filter technology
Show color	16.7 Million colors	Special functions	DCR intelligent dynamic contrast + Game Puls game quasi + FreeSync + dark field control + HDR
colour temperature	adjustable		
Side interface / function	USB2.0/3.0 *2		
Bottom interface/function	Bottom interface/function		
Function buttons	Power switch, display switch, exit, brightness adjustment +, brightness adjustment-, menu		
Adapt to motherboard	Mini-Itx 170*190mm以下		
power supply	Adapt to the mainboard		
trumpet	4 Ω 3W*2		
(wall) hanging	Support (size: 100 * 100mm)		
Package Size	790*175*515mm		
Total Weight			

30英寸带鱼屏

高清视野

H300-PRO



高清视界 非你莫属


- 30寸带鱼屏(21:9)一体机, 2K高清, 2560*1080P分辨率, 给您更广视野, 带给您影院级别的沉浸式体验.



任意角度摆放, 满足您的不同视觉需求
可升降旋转底座

黑色与红色的搭配, 更独特

机型：H300-PRO



机型：H300-PRO尺寸图



H300-PRO

Product parameters

size	30"	resolution	VA HD for 2560 * 1080p
Option color	Black/White	refresh rate	200Hz
Base	Quick demolition V-shaped base	Viewing angle	178° / 178°
Panel type	VA	brightness	250cd/m ²
Screen type	Direct screen	Static contrast	3000:1
Screen display proportions	21:9 Hairtail screen	Eye care technology	不闪屏+滤蓝光技术
Show color	16.7 Million colors	Special functions	DCR intelligent dynamic contrast + Game Puls game quasi + FreeSync + dark field control + HDR
colour temperature	adjustable		
Side interface / function	USB2.0/3.0 *2		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, display switch, exit, brightness adjustment +, brightness adjustment-, menu		
Adapted mainboard	Mini-Itx 170*190mm以下		
power supply	Adapt to the mainboard		
trumpet	4 Ω 3W*2		
(wall) hanging	Support (size: 100 * 100mm)		
Package Size	790*175*515mm		
Total Weight			

23.8英寸

高清视野

PD238-M



可升降旋转底座，助力正确坐姿

屏幕可任意旋转
满足不同视觉需求

黑白两色可选

高品质喇叭
高效散热，智能静音

机型：PD238-M

三合一读卡器

USB2.0/3.0

Typc-C接口

亮度调节+

亮度调节-

指示灯
/电源开关


摄像头

DVD光驱

可升降旋转底座



机型：PD238-M



PD238-M

Product parameters

size	23.8"	Screen display proportions	16:9
Option color	Black/White	resolution	1920*1080p
Base	lifting pedestal	refresh rate	60Hz-75Hz
		Viewing angle	178° / 178°
rear cover	Wred back cover / perforated back cover	brightness	250cd/m ²
Panel type	IPS	Static contrast	3000:1
Screen type	Direct screen	colour temperature	adjustable
Side interface	USB2.0/3.0 * 2, 3-in-one card reader, Type-C, 2-in-1 audio interface, DVD-ROM		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, brightness adjustment +, brightness adjustment-		
camera	Upper plug and play / upper press hidden / lower fixed		
Adapted mainboard	Mini-Itx 170*190mm以下		
Adapt to unique dimensions	175*70*25mm		
power supply	Adapt to the mainboard		
trumpet	4Ω 3W *2		
(wall) hanging	Support (size: 100 * 100mm)		
Package Size	610*170*530mm		
Total Weight			

机型:PD238
(有孔后盖)



• 黑色



• 白色

机型:PD238
(拉丝后盖)




• 黑色



• 白色

机型:PD238



机型:PD238



PD238

Product parameters

size	23.8"	Screen display proportions	16:9
Option color	Black/White	resolution	1920*1080p
Base	Large U base / square base / rechargeable base	refresh rate	60Hz-75Hz
		Viewing angle	178° / 178°
rear cover	Wred back cover / perforated back cover	brightness	250cd/m ²
Panel type	IPS	Static contrast	3000:1
Screen type	Direct screen	colour temperature	adjustable
Side interface	USB2.0/3.0 * 2, 3-in-one card reader, Type-C, 2-in-1 audio interface, DVD-ROM		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, audio interface, anti-theft lock hole		
Function buttons	Power switch, brightness adjustment +, brightness adjustment-		
camera	Upper plug and play / upper press hidden / lower fixed		
Adapted mainboard	Mini-Itx 170*190mm以下		
Adapt to unique dimensions	175*70*25mm		
power supply	Adapt to the mainboard		
trumpet	4 Ω 3W *2		
(wall) hanging	Support (size: 100 * 100mm)		
Package Size	600*145*475mm		
Total Weight			

21.5/23.8英寸

高清视野

P215/P238



半圆弧后盖




拉丝后盖



高品质音响，3D环绕音效
可选配下置摄像头
可选配按压隐藏式摄像头
可选配即插即用型摄像头
黑白两色可选



机型：P215/P238



机型: P215/P238



P215/P238

Product parameters

size	21.5" / 23.8"	resolution	1920*1080p
Option color	Black/White	refresh rate	60Hz-75Hz
Base	Aluminum alloy with a large U base	Viewing angle	178° / 178°
rear cover	Wdrawing / half arc	brightness	250cd/m ²
Panel type	IPS	Static contrast	3000:1
Screen type	Direct screen	colour temperature	/
Screen display proportions	16:9		
Side interface	3-in-1 card reader, USB2.0/3.0 * 2, TYPE C, and DVD		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, and audio interface		
Function buttons	power switch		
camera	Upper plug and play / upper press hidden / lower fixed		
Adapted mainboard	Mini-Itx 170*170mm		
power supply	Adapt to the main board		
trumpet	4 Ω 3W *2		
(wall) hanging	Support (brushed rear cover, 100 * 100mm)		
Package Size	554*146*445mm (21.5")/600*145*475mm (23.8")		
Total Weight			

23.8英寸

高清视野

P238-PRO



追求精工制造、完美细节的高端品质。
每一件产品都像艺术品一样雕琢，凸显高端大气上档次

随心翻转 开启美好生活

贴心的设计凸显人体工学，同时可触控屏、
支持上下升降、左右旋转，翻转随心，
无论在什么视角下，都能有最舒服的观看方式，
可适应更多不同工作环境的要求

触控、升降旋转款



机型:P238-pro



机型:P238-pro尺寸图



P238-PRO

Product parameters

size	23.8"	resolution	1920*1080p
Option color	Black/White	refresh rate	60Hz-75Hz
Base	Lift support base	Viewing angle	178° / 178°
rear cover	Wdrawing	brightness	250cd/m ²
Panel type	IPS	Static contrast	3000:1
Screen type	Direct screen	colour temperature	/
Screen display proportions	16:9		
Side interface	3-in-1 card reader, USB2.0/3.0 * 2, TYPE C, and DVD		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, and audio interface		
Function buttons	power switch		
camera	Upper plug and play / upper press hidden / lower fixed		
Adapted mainboard	Mini-Itx 170*170mm		
power supply	Adapt to the main board		
trumpet	4Ω 3W *2		
(wall) hanging	Support (brushed rear cover, 100 * 100mm)		
Package Size	610*170*530mm		
Total Weight			

21.45/23.8英寸

高清视野

ZH2145/ZH238



象牙白 活力橙 玫瑰红 如意蓝

三种底座可选



圆底




方底



V底

机型:ZH2145/ZH238





·ZH2145·



·ZH238·



多彩
小清新

ZH2145/ZH238

Product parameters

size	21.45" / 23.8"	resolution	1920*1080p
Option color	Vitality orange, rose red, Ruyi blue, ivory white	refresh rate	60Hz-75Hz
Base	Square base / V-shaped base / round base	Viewing angle	178° / 178°
rear cover	Backlight one	brightness	250cd/m ²
Panel type	IPS	Static contrast	3000:1
Screen type	Direct screen	colour temperature	/
Screen display proportions	16:9		
Side interface	USB2.0/3.0 *2		
Bottom interface/function	DC interface, HDMI, VGA/COM, USB2.0/3.0 * 4, RJ 45 interface, audio interface, anti-theft lock hole		
Function buttons	power switch		
Adapted mainboard	Mini-Itx 170*170mm		
power supply	Adapt to the main board		
trumpet	4 Ω 3W *2		
(wall) hanging	Adapt to the main board		
Package Size	554*146*445/605*148*455		
Total Weight			

机型：M238-T/M270-T



SW238





公司愿景

COMPANY VISION

Adhere to the practice of brand road, win-win cooperation, side by side with you, strengthen team management and product innovation research and development, with quality and reputation to build an excellent brand in the all-in-one computer field